

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Tuesday, March 27, 2007

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L16	L7 and (stor\$ near2 value)	12
<input type="checkbox"/>	L14	L12 and pointer	32
<input type="checkbox"/>	L13	L12 and (runtime or run-time or run time)	33
<input type="checkbox"/>	L12	L7 and (unlock or unlocked)	42
		<i>DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L11	L7	1
<input type="checkbox"/>	L10	L8	0
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	L7 and ((thread-local or thread local) near field)	0
<input type="checkbox"/>	L8	L7 and field	110
<input type="checkbox"/>	L7	L6 and stack	114
<input type="checkbox"/>	L6	L5 and (lock or locked)	221
<input type="checkbox"/>	L5	(thread-local or thread local)	532
<input type="checkbox"/>	L4	L3 and (thread-local or thread local)	24
<input type="checkbox"/>	L3	717/114-119,127,131-133.ccls.	2539
<input type="checkbox"/>	L2	20050183078	2
<input type="checkbox"/>	L1	6093216.pn.	2

END OF SEARCH HISTORY

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"Thread local variable" stack reference node

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 284 for "Thread local variable" stack reference node. (0.37 seconds)

[\[PDF\] Efficient global object space support for distributed jvm on ...](#)

File Format: PDF/Adobe Acrobat

Node 1. Java thread. **stack** frame. Java object. Connectivity. between objects. Object **reference.** in thread **stack.** Detected ...

ieeexplore.ieee.org/iel5/8068/22315/01040893.pdf - [Similar pages](#)

[\[PDF\] Exact and Portable Profiling for the JVM Using Bytecode ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

a **thread-local variable.** Internally, thread-local variables are ... **reference** onto the **stack,** invocation of h(), loading the this **reference** onto the ...

www.jraf2.org/publications/QAPL06.pdf - [Similar pages](#)

[\[PDF\] Portable and accurate sampling profiling for Java](#)

File Format: PDF/Adobe Acrobat

be implemented with the aid of a **thread-local variable** ... and then b(), both a() and b() will receive the same **stack reference** and the same value of sp ...

doi.wiley.com/10.1002/spe.712 - [Similar pages](#)

[Method and system for eliminating synchronization between sweep ...](#)

Each root is marked and pushed on to the **stack.** **Nodes** are then repetitively removed ...

One is for each program thread to use its own **thread local variable.** ...

www.freepatentsonline.com/6289360.html - 67k - [Cached](#) - [Similar pages](#)

[\[PDF\] Scalable Computing: Practice and Experience Volume 6, Number 1, pp ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

stack frame analyze. this **reference** dictionary. **stack** frame translate ... as **thread local variable.** In this approach it isn't necessary to pass distributed ...

www.scpe.org/vols/vol06/SCPE_6_1_07.pdf - [Similar pages](#)

[I-Index \(Connected Device Configuration \(CDC\), version 1.1.2\)](#)

Inet4Address: Utility routine to check if the multicast address has **node** scope. ... point represented by this **stack** trace element is a native method. ...

72.5.124.55/javame/reference/apis/jsr218/index-files/index-9.html - 101k -

[Cached](#) - [Similar pages](#)

[\[PDF\] On the Design of Global Object Space for Efficient Multi-threading ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

is in the heap or **thread-local variable** in some Java thread **stack,** has a type. ... as the overhead to translate object **reference** across **node** boundary are al ...

www.cs.hku.hk/~clwang/papers/gos5-SUBMITTED-01-23-2003.pdf - [Similar pages](#)

[\[PDF\] Serialization of a Distributed Execution-state in Java](#)

File Format: PDF/Adobe Acrobat

this **reference** dictionary. analyze(threadID). restore **stack** frame translate() ... Such a communication channel is stored as **thread local variable.** In this ...

www.cs.kuleuven.ac.be/~danny/NODE2002_weyns_truyen_final.pdf - [Similar pages](#)

[QISH introduction](#)

It copies every movable object (even if it is on the call **stack** - in that case the ... pointer qishgc_birth_cur has to become a **thread-local variable.** ...

starynkevitch.net/Basile/qishintro.html - 66k - [Cached](#) - [Similar pages](#)

[Welcome to HPCVL -- Parallel Programming FAQ](#)

Use the search engine to obtain User's Guides and **Reference** Manuals. ... on the SunFire

http://www.google.com/search?hl=en&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3Aen&q=... 3/27/07

login **node**. Other documentation can be found at the Sun Docs Site. ...
www.hpcvl.org/faqs/programming/parallel-prog-faq.html - 45k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google